

Message

From: Korleski, Christopher [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=83EA7D51D2F1427E9182BCE17A0DED0D-KORLESKI, CHRISTOPHER]
Sent: 2/12/2018 6:48:09 PM
To: Klassman, Debra [klassman.debra@epa.gov]
Subject: RE: Briefing

Nah – Wolverine Methodology call with HQ.

From: Klassman, Debra
Sent: Monday, February 12, 2018 12:47 PM
To: Korleski, Christopher <korleski.christopher@epa.gov>
Subject: RE: Briefing

Hi. I'm free at 1. You?

From: Korleski, Christopher
Sent: Monday, February 12, 2018 12:46 PM
To: Klassman, Debra <klassman.debra@epa.gov>
Subject: RE: Briefing

Hey Deb: This meeting is just Cathy, Bob, and I. Are you available for a quick call now?

From: Klassman, Debra
Sent: Monday, February 12, 2018 10:02 AM
To: Korleski, Christopher <korleski.christopher@epa.gov>
Subject: RE: Briefing

Hi Chris. Do we have a time and a location for this briefing?

From: Korleski, Christopher
Sent: Friday, February 09, 2018 9:11 AM
To: Holst, Linda <holst.linda@epa.gov>; Poy, Thomas <poy.thomas@epa.gov>; Shoven, Heather <shoven.heather@epa.gov>; Swenson, Peter <swenson.peter@epa.gov>; Melgin, Wendy <melgin.wendy@epa.gov>; Prichard, Gary <prichard.gary@epa.gov>; Pierard, Kevin <pierard.kevin@epa.gov>; Bauer, Candice <bauer.candice@epa.gov>; Wester, Barbara <wester.barbara@epa.gov>; Klassman, Debra <klassman.debra@epa.gov>; Clark, Jacqueline <clark.jacqueline@epa.gov>
Subject: Fw: Briefing

FYI -

From: Korleski, Christopher
Sent: Friday, February 9, 2018 9:08 AM
To: Stepp, Cathy
Cc: Chu, Ed; Kaplan, Robert
Subject: Re: Briefing

Hi Cathy -

I'd like to suggest the following time-sensitive issues be on the agenda for our 90-minute meeting on Tuesday. I'm guessing these are already on your list.

- I don't know if Heidi raised this, but with respect to Wolverine, the biggest issue in contention with MDEQ right now relates to the correct sampling methodology for PFAS in drinking water.
- 401(a)(2) (downstream impacts) issue

Ex. 5 - Deliberative Process

Thanks.

From: Stepp, Cathy
Sent: Thursday, February 8, 2018 10:48 PM
To: Korleski, Christopher
Cc: Chu, Ed; Kaplan, Robert
Subject: Briefing

Chris, could you please work on a 90 minute time where we can go over some of these pressing issues that you all are dealing with? I had a meeting with Michigan DEQ yesterday and would like to share some of the information with you. Bob, if you would be so kind as to join us given the extensive work you have done over the last couple of years in some of these areas. That would be most helpful to me. Thank you guys!

Sent from my iPhone

On Jan 12, 2018, at 10:51 AM, Korleski, Christopher <korleski.christopher@epa.gov> wrote:

Hello Everyone:

This letter came in from Enbridge in this week, and I wanted to make sure that all appropriate folks were provided with a copy. I am not sure about previous WD involvement, or even SFD/ER involvement, so if anyone does have any involvement, please let me know.

Thanks.

Chris

From: Steve J. Kapeller [<mailto:SKapeller@barr.com>]
 Sent: Wednesday, January 10, 2018 2:24 PM
 To: Korleski, Christopher <korleski.christopher@epa.gov>
 Cc: 'Paul Turner' <Paul.Turner@enbridge.com>; Steve J. Kapeller <SKapeller@barr.com>
 Subject: Enbridge Line 5 St. Clair HDD Project Notification

Hi Chris,

Per my voicemail today, attached is the letter from Enbridge regarding replacement of the segment of Line 5 that crosses the St. Clair River using horizontal directional drilling (HDD) technology. We have not received delivery confirmation from the post office yet, so we wanted to make sure you received this. We've also submitted this letter to Robert Kaplan, but I understand this will be forwarded to Cathy Stepp, the new Region 5 Administrator, per my discussion with an EPA staff person today (see e-mail below).

We understand EPA may play a role in reviewing the joint Michigan DEQ/USACE permit application that will be prepared for this project, hence the notification.

Please don't hesitate to contact me or Paul Turner (Enbridge) if you have any questions or would like to discuss the project.

Thank you for your time,

Steve

Steve J. Kapeller, PE
 Senior Environmental Engineer
 Ann Arbor, MI office: 734.922.4430
 cell: 734.904.7867
skapeller@barr.com<<mailto:skapeller@barr.com>>
www.barr.com<<http://www.barr.com>>

[[cid:image001.png@01D38A26.755B89C0](#)]<www.barr.com>

If you no longer wish to receive marketing e-mails from Barr, respond to communications@barr.com<<mailto:communications@barr.com>> and we will be happy to honor your request.

From: Steve J. Kapeller
 Sent: Wednesday, January 10, 2018 3:14 PM
 To: 'sfdio@epa.gov' <sfdio@epa.gov<<mailto:sfdio@epa.gov>>>
 Cc: Steve J. Kapeller <SKapeller@barr.com<<mailto:SKapeller@barr.com>>>; 'Paul Turner' <Paul.Turner@enbridge.com<<mailto:Paul.Turner@enbridge.com>>>
 Subject: Enbridge Line 5 St. Clair HDD Project Notification

Hi Ashley,

As we discussed this afternoon, attached is the letter to Robert Kaplan from Enbridge regarding

replacement of the segment of Line 5 that crosses the St. Clair River using horizontal directional drilling (HDD) technology. We have not received delivery confirmation from the post office yet, so we wanted to make sure he received this.

I understand this letter will be forwarded to Cathy Stepp, who was recently named the new Region 5 Administrator. We have also notified Chris Korleski, Director, Water Division, US EPA Region 5.

Please don't hesitate to contact me or Paul Turner (Enbridge) if you have any questions or would to discuss the project.

Thank you for your time,

Steve

Steve J. Kapeller, PE
Senior Environmental Engineer
Ann Arbor, MI office: 734.922.4430
cell: 734.904.7867
skapeller@barr.com<<mailto:skapeller@barr.com>>
www.barr.com<<http://www.barr.com>>

[[cid:image001.png@01D38A26.755B89C0](#)]<www.barr.com>

If you no longer wish to receive marketing e-mails from Barr, respond to communications@barr.com<<mailto:communications@barr.com>> and we will be happy to honor your request.

<[image001.png](#)>

<[Enbridge St. Clair HDD - Korleski.pdf](#)>